




Applications

For spraying of mortar, and mixed concrete as well as dry products.
Used as a service hose between pump and nozzle in transporting plaster, grout, and ready mixed concrete.

Advantages

- Light weight, flexible and is easy to handle.
- Abrasion resistant tube compound.
- Conductive inner tube compound gives increased safety for the operator.



Technical description

Inner tube: wear resistant NR, black, smooth.

Reinforcement: synthetic textile.

Cover: weather and wear resistant SBR, black, fabric impression.

Temperature range: -30 °C to +70 °C.

Electrical properties: conductive tube $R < 2 \cdot 10^6 \Omega/m$.

Special properties: abrasion resistance $< 70 \text{ mm}^3$ of tube according to DIN 53 516.

Branding: by transfer stripe showing a discontinuous of red trapeziums with :



printed in black on each trapezium

and

PROJECTOR 40

printed in red between trapeziums

ID mm	Wall thickness mm	OD mm	Working pressure bar	Bursting pressure bar	Bending radius mm	Weight kg/m	Length m	Article No.	Stock item
25.0	7.0 ± 0.50	39.0 ± 1.0	10	40	125	0.86	20	201452	●
							40	201453	●
25.0	9.5 ± 0.50	44.0 ± 1.0	10	40	120	1.29	20	70670	1
							40	70671	1
30.0	7.0 ± 0.50	44.0 ± 1.0	10	40	150	0.91	20	201455	●
							40	201456	●
32.0	10.0 ± 0.50	52.0 ± 1.0	10	40	150	1.65	20	60192	●
							40	60067	●
35.0	7.0 ± 0.50	49.0 ± 1.0	10	40	220	1.07	20	70672	1
							40	70673	1
38.0	10.0 ± 0.50	58.0 ± 1.0	10	40	170	1.88	40	5501052	●
40.0	10.0 ± 0.50	60.0 ± 1.0	10	40	180	1.97	20	61716	●
							40	61717	●
50.0	10.0 ± 0.75	70.0 ± 1.5	10	40	250	2.36	20	61718	1
							40	61719	●
60.0	10.0 ± 0.75	80.0 ± 1.5	10	40	290	2.64	20	96832	●
							40	96827	●
65.0	10.0 ± 0.75	85.0 ± 1.5	10	40	320	2.95	20	61720	●
							40	61721	●
70.0	10.0 ± 0.75	90.0 ± 1.5	10	40	350	3.20	20	70674	2
							40	70675	2
75.0	10.0 ± 0.75	95.0 ± 1.5	10	40	400	3.34	20	70676	2
							40	70677	2
89.0	10.5 ± 0.75	110.0 ± 1.5	10	40	450	4.45	20	5501048	2
							40	5501049	2

● = Stock item.

1 = Non stock, mini. quantity = 400 m.

2 = Non stock, mini. quantity = 200 m.